

Subtype 26. Yutaki S Combi Lite 2.5HP

Certificate Holder	Johnson Controls-Hitachi AirConditioning Spain
Address	Ronda Shimizu, 1. Pol. Ind. Can Torrella
ZIP	08233
City	Vacarisses, Barcelona
Country	ES
Certification Body	BRE Global Limited
Subtype title	26. Yutaki S Combi Lite 2.5HP
Registration number	041-K002-26
Heat Pump Type	Outdoor Air/Water
Refrigerant	R410A
Mass of Refrigerant	1.3 kg

Model RAS-2.5WHVN RWD-2.5NWLE-200S - Heating Only

Model name	RAS-2.5WHVN RWD-2.5NWLE-200S - Heating Only
Application	Heating + DHW + low temp
Units	Indoor, Outdoor
Climate zone (for heating)	n/a
Cooling mode application (optional)	n/a
Any additional heat sources	n/a

General data

Power supply	1x230V 50Hz
Off-peak product	Yes

Outdoor Air/Water

EN 16147 | Average Climate

Declared load profile	L
Efficiency η_{DHW}	125 %
COP	3.30
Heating up time	2:00 h:min
Standby power input	28.0 W
Reference hot water temperature	53.5 °C
Mixed water at 40°C	250 l

Model RAS-2.5WHVNP RWD-2.5NWLE-200S - with cooling kit

Model name	RAS-2.5WHVNP RWD-2.5NWLE-200S - with cooling kit
Application	Heating + DHW + low temp
Units	Indoor, Outdoor
Climate zone (for heating)	n/a
Cooling mode application (optional)	n/a
Any additional heat sources	n/a

General data

Power supply	1x230V 50Hz
Off-peak product	Yes

Outdoor Air/Water

EN 16147 | Average Climate

Declared load profile	L
Efficiency η_{DHW}	125 %
COP	3.30
Heating up time	2:00 h:min
Standby power input	28.0 W
Reference hot water temperature	53.5 °C
Mixed water at 40°C	250 l