

## Subtype EH260Pro

Certificate Holder	Climer
Address	Carr. Córdoba - Málaga, Km. 77
ZIP	14900
City	Córdoba
Country	ES
Certification Body	SZU - Strojirensky zkusebni ustav (Engineering Test Institute, Public Enterprise)
Subtype title	EH260Pro
Registration number	037-0157-24
Heat Pump Type	Heat Pump for Domestic Hot Water (DHW)
Refrigerant	R290
Mass of Refrigerant	0.15 kg
Certification Date	27.03.2024
Testing basis	HP Keymark scheme rules rev. no. 11

## Model EH260P 444

Model name	EH260P 444
Application	n/a
Units	Indoor
Climate zone (for heating)	n/a
Heat Source	Outdoor Air
Cooling mode application (optional)	n/a
Any additional heat sources	n/a

## General data

Power supply	1x230V 50Hz
Off-peak product	Yes

## Heat Pump for Domestic Hot Water (DHW)

### EN 16147 | Operating test

Temperature operating range	2
Safety devices checking test	2
Condensate draining	2

### EN 12102-2 | Average Climate

Sound power level indoor	55 dB(A)
--------------------------	----------

### EN 16147 | Average Climate

Declared load profile	XL
Efficiency $\eta_{DHW}$	133 %
COP	3.24
Heating up time	8:37 h:min
Standby power input	30.0 W
Reference hot water temperature	52.5 °C
Mixed water at 40°C	317 l

Model EH260P 2205	
Model name	EH260P 2205
Application	n/a
Units	Indoor
Climate zone (for heating)	n/a
Heat Source	Outdoor Air
Cooling mode application (optional)	n/a
Any additional heat sources	n/a
General data	
Power supply	1x230V 50Hz
Off-peak product	Yes
Heat Pump for Domestic Hot Water (DHW)	
EN 16147   Operating test	
Temperature operating range	2
Safety devices checking test	2
Condensate draining	2
EN 12102-2   Average Climate	
Sound power level indoor	55 dB(A)
EN 16147   Average Climate	
Declared load profile	XL
Efficiency $\eta_{DHW}$	133 %
COP	3.24
Heating up time	8:37 h:min
Standby power input	30.0 W
Reference hot water temperature	52.5 °C
Mixed water at 40°C	317 l

## Model EH260P RF 444

Model name	EH260P RF 444
Application	n/a
Units	Indoor
Climate zone (for heating)	n/a
Heat Source	Outdoor Air
Cooling mode application (optional)	n/a
Any additional heat sources	n/a

## General data

Power supply	1x230V 50Hz
Off-peak product	Yes

## Heat Pump for Domestic Hot Water (DHW)

### EN 16147 | Operating test

Temperature operating range	2
Safety devices checking test	2
Condensate draining	2

### EN 12102-2 | Average Climate

Sound power level indoor	55 dB(A)
--------------------------	----------

### EN 16147 | Average Climate

Declared load profile	XL
Efficiency $\eta_{DHW}$	133 %
COP	3.24
Heating up time	8:37 h:min
Standby power input	30.0 W
Reference hot water temperature	52.5 °C
Mixed water at 40°C	317 l

**Model EH260P RF 2205**

Model name	EH260P RF 2205
Application	n/a
Units	Indoor
Climate zone (for heating)	n/a
Heat Source	Outdoor Air
Cooling mode application (optional)	n/a
Any additional heat sources	n/a

**General data**

Power supply	1x230V 50Hz
Off-peak product	Yes

**Heat Pump for Domestic Hot Water (DHW)****EN 16147 | Operating test**

Temperature operating range	2
Safety devices checking test	2
Condensate draining	2

**EN 12102-2 | Average Climate**

Sound power level indoor	55 dB(A)
--------------------------	----------

**EN 16147 | Average Climate**

Declared load profile	XL
Efficiency $\eta_{DHW}$	133 %
COP	3.24
Heating up time	8:37 h:min
Standby power input	30.0 W
Reference hot water temperature	52.5 °C
Mixed water at 40°C	317 l